

READY TO RESPOND:  
DISASTER PREPAREDNESS GEAR



## DISASTER ESSENTIALS FROM PELICAN

Get rapid deployment to any emergency. From field hospital med chests, portable field desks to foot lockers, your emergency command center will be up and running in minutes.

### SPECIALTY PRODUCT APPLICATIONS:

- Field Desks for emergency centers in field hospitals and check-in points
- Foot Lockers and Trunk Lockers store and transport bedding, blankets, clothes, food, water, first aid supplies, radios
- Medical Chests store various items, from small tools to medical supplies for field hospitals



- Two drawers that are padlockable for extra security
- Two Heavy Duty Wheels
- Chairs can be folded and stored in the lids in seconds (included)
- Two Power Strips - 6 Plugs Per Power Strip (included)

**472 FLD DESK DD**



- Four large drawers protect all medical gear
- Customizable divider system and wheels

**472 MEDCHEST 3 4D**



- Lightweight housing protects two "D" 95 GL tanks
- Molded-in handles and ribs make for easy lifting and secure stacking

**472 TANKM-D-2**



- Two drawers that are padlockable for extra security
- Two Heavy Duty Wheels
- Chair can be folded and stored in lid in seconds (included)

**472 FLD DESK TA**



- 8 multi-sized drawers protect all medical gear
- Customizable divider system and wheels
- One Lockable Drawer
- Chemical Agent Decontaminatable

**472 MEDCHEST 3 8D**



- 13.6ft<sup>3</sup> (0.39m<sup>3</sup>) of space
- Four comfort grip handles
- Case is stackable
- Optional 2 inch (5.08cm) foam lining

**472 463L MM24**



- Two heavy-duty wheels make big loads more manageable
- Soft-Grip handles for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

**472 FTLK 1**



- Two heavy-duty wheels make big loads more manageable
- Soft-Grip handles for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

**472 FTLK LG**



- Carrying/lifting ledges for easy and comfortable lifting
- Dual removable trays to separate your smaller supplies
- Lock-ready hasps for security anywhere

**iMTRLK TRUNK LOCKER**

## SAFE AND SILENT EMERGENCY LIGHTING

Remote Area Lighting Systems (RALS) provide battery powered lighting that are portable and lightweight, providing increased performance and safer working conditions. Now you can leave noisy and heavy generators in the past.

Get more than a flashlight. Safety certified lights will keep you safe and moving through hazardous areas. Also, smart features like articulating light heads, battery indicators and Downcast LED Technology, keep you ready for any emergency.

### RALS

#### APPLICATIONS:

- Field hospitals
- Command centers
- Clean-up operations
- Walkways and perimeter lighting
- Security checkpoints

### FLASHLIGHT

#### APPLICATIONS:

- Distress signal
- Search and rescue operations
- Access disoriented victims
- Emergency preparedness kit



- ROHS AND CE COMPLIANT
- BATTERIES: SEALED LEAD ACID



LUMENS  
3000  
RUN TIME  
15h  
UP TO



9430 RALS

- BATTERIES: LITHIUM-ION



LUMENS  
5300  
RUN TIME  
8h  
UP TO



9440 RALS

- BATTERIES: SEALED LEAD ACID



LUMENS  
12000  
RUN TIME  
24h  
UP TO



9460 RALS

- BATTERIES: SEALED LEAD ACID



LUMENS  
24000  
RUN TIME  
24h  
UP TO



9470 RALS

- BATTERIES: SEALED LEAD ACID



LUMENS  
4000  
RUN TIME  
28h  
UP TO



9480 RALS

- INPUT VOLTAGE: 110-240V

LUMENS  
6000  
UP TO




MODE: WHITE LIGHT / RED LIGHT VISION



9500 SHELTER LIGHTING

- CONNECT MULTIPLE LIGHT HEADS FROM ONE POWER SOURCE
- INPUT VOLTAGE: 110-240V

LUMENS  
3000  
UP TO



9600 RALS

- DUAL BEAMS INCLUDING DOWNCAST LED TECHNOLOGY
- BATTERIES: 4 AA Alkaline (Included)

LUMENS  
215  
RUN TIME  
98h  
UP TO  
SAFETY CERTIFIED



2785 HEADLAMP

- COMPACT LED POWER
- BATTERIES: 3 AA BATTERIES (INCLUDED)

LUMENS  
160  
RUN TIME  
19h  
UP TO  
SAFETY CERTIFIED



3315 FLASHLIGHT

- "GLOW IN THE DARK"
- ARTICULATING LIGHT HEAD
- BODY BATTERIES: 3 AA ALKALINE (NOT INCLUDED)

LUMENS  
653  
RUN TIME  
61h  
UP TO



3410 RIGHT ANGLE LIGHT

- LIGHTWEIGHT/ HIGH PERFORMANCE
- BATTERIES: NIMH (INCLUDED)

LUMENS  
588  
RUN TIME  
11h 30min  
UP TO  
SAFETY CERTIFIED



9415 FLASHLIGHT

## SECURE TRANSPORT AND STORAGE OF PERSONAL PROTECTIVE EQUIPMENT AND DISASTER SUPPLIES

Watertight, crush proof and trusted by the military, fire and law enforcement industries for over 40 years, our cases are proven to stand up to any test our customers endure. From micro to x-large protector size options, you'll always find the right fit.

### CASE APPLICATIONS:

- Medical Testing Kits
- Personal protective equipment
- Transport communication equipment
- Clothing
- Automated external defibrillator
- First aid kits
- First aid supplies
- Search & Rescue operations
- Oxygen tanks
- Regulators



PELICAN™ PROTECTOR CASE™		
CASE CAT. NO	INTERIOR DIMENSIONS INCHES (CM)	EXTERIOR DIMENSIONS INCHES (CM)
1150	8.29" x 5.79" x 3.75" (21.1 x 14.7 x 9.5 cm)	9.44" x 7.80" x 4.29" (24 x 19.8 x 10.9 cm)
1170	10.54" x 6.04" x 3.16" (26.8 x 15.3 x 8 cm)	11.64" x 8.34" x 3.78" (29.6 x 21.2 x 9.6 cm)
1200	9.25" x 7.12" x 4.12" (23.5 x 18.1 x 10.5 cm)	10.62" x 9.68" x 4.87" (27 x 24.6 x 12.4 cm)
1400	11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm)	13.37" x 11.62" x 6.00" (34 x 29.5 x 15.2 cm)
1450	14.66" x 10.24" x 6.12" (37.2 x 26 x 15.5 cm)	16.44" x 13.00" x 6.82" (41.8 x 33 x 17.3 cm)
1460	18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7 cm)	20.85" x 12.73" x 12.75" (53 x 32.3 x 32.4 cm)
1500 / 1500EMS	16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)	18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)
1510	19.75" x 11.00" x 7.60" (50.2 x 27.9 x 19.3 cm)	22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)
1520	18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)	19.78" x 15.77" x 7.41" (50.2 x 40.1 x 18.8 cm)
1550 / 1550EMS	18.63" x 14.18" x 7.72" (47.3 x 36 x 19.6 cm)	20.66" x 17.20" x 8.40" (52.5 x 43.7 x 21.3 cm)
1560	19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)	22.07" x 17.92" x 10.42" (56.1 x 45.5 x 26.5 cm)
1600	21.51" x 16.54" x 7.99" (54.6 x 42 x 20.3 cm)	24.39" x 19.36" x 8.79" (62 x 49.2 x 22.3 cm)
1610	21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)	24.83" x 19.69" x 11.88" (63.1 x 50 x 30.2 cm)
1620	21.48" x 16.42" x 12.54" (54.6 x 41.7 x 31.9 cm)	24.76" x 19.57" x 13.90" (62.9 x 49.7 x 35.3 cm)
1630	27.70" x 20.98" x 15.50" (70.4 x 53.3 x 39.4 cm)	31.28" x 24.21" x 17.48" (79.5 x 61.5 x 44.4 cm)
1640	23.70" x 24.00" x 13.90" (60.2 x 61 x 35.3 cm)	27.20" x 27.50" x 16.30" (69.1 x 69.9 x 41.4 cm)
1660	28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)	31.59" x 22.99" x 19.48" (80.2 x 58.4 x 49.5 cm)
1465EMS	18.62" x 9.99" x 10.93" (47.3 x 25.4 x 27.8 cm)	20.83" x 12.62" x 12.75" (52.9 x 32.1 x 32.4 cm)

PELICAN™ MICRO CASES		
CASE CAT. NO	INTERIOR DIMENSIONS INCHES (CM)	EXTERIOR DIMENSIONS INCHES (CM)
1010	4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)	5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)
1015	5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)	6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)
1020	5.31" x 3.56" x 1.68" (13.5 x 9 x 4.3 cm)	6.82" x 4.75" x 2.12" (17.3 x 12.1 x 5.4 cm)
1030	6.37" x 2.62" x 2.06" (16.2 x 6.7 x 5.2 cm)	7.50" x 3.87" x 2.43" (19.1 x 9.8 x 6.2 cm)
1040	6.50" x 3.87" x 1.75" (16.5 x 9.8 x 4.4 cm)	7.50" x 5.06" x 2.12" (19.1 x 12.9 x 5.4 cm)
1050	6.31" x 3.68" x 2.75" (16 x 9.3 x 7 cm)	7.99" x 5.06" x 3.12" (20.3 x 12.9 x 7.9 cm)
1060	8.25" x 4.25" x 2.25" (21 x 10.8 x 5.7 cm)	9.88" x 5.59" x 2.63" (25.1 x 14.2 x 6.7 cm)

## EMS CASES



1500EMS



1550EMS

- Multi layer lid organizer with numerous clean pockets - find everything right away
- Lid organizer clear cover with VELCRO® brand fasteners - keeps supplies in place during transport

- Padded dividers with adjustable walls for customizing compartments to any size



1465EMS AIR

- Removable trays are easy to wipe down to keep sanitized
- Three tier customizable pullout trays give you the flexibility to organize

- Storage bracket keeps used and sharp objects contained. (\*Sharps container not included).

## U.S.A.

### CALIFORNIA

23215 Early Avenue  
Torrance, CA 90505  
Tel: 310.326.4700  
800.473.5422  
Fax: 310.326.3311  
[www.pelican.com](http://www.pelican.com)

### MASSACHUSETTS

147 North Main Street  
South Deerfield, MA 01373  
Tel: 800.542.7344  
Fax: 413.665.8330  
[www.pelican.com](http://www.pelican.com)

## INTERNATIONAL

### EUROPE, MIDDLE EAST AND AFRICA

Peli Products, S.L.U.  
c/ Provença, 388, Planta 7  
Barcelona, Spain, 08025  
Tel: +34.934.674.999  
Fax: +34.934.877.393  
[www.peli.com](http://www.peli.com)

### JAPAN

Pelican Products K.K.  
Nisso 22 Bldg 9F  
1-11-10 Azabu Dai  
Minato ward Tokyo  
Japan 106-0041  
Tel: +81.33.585.9100  
Fax: +81.33.585.9109  
[www.pelican.com/jp](http://www.pelican.com/jp)

### CANADA

Pelican Products ULC  
10221-184th Street  
Edmonton, Alberta  
T5S 2J4, Canada  
Tel: +780.481.6076  
Fax: +780.481.9586  
[www.pelican.ca](http://www.pelican.ca)

### AUSTRALIA

Pelican Products Pty Ltd  
West Wing, Platinum Building, Suite 2.33  
4 Ilya Av  
Erina NSW 2250  
Tel: +612.4367.7022  
Fax: +612.4367.7066  
[www.pelicanaustralia.com](http://www.pelicanaustralia.com)

### CHINA

Pelican Products China Representative Office  
Pine City Building, Room 1026  
777 Zhaojiabang Road  
Shanghai, China 200032  
Tel: +86.21.64189685  
Fax: +86.21.64189679  
[www.pelican.com/cn](http://www.pelican.com/cn)

### KOREA

Pelican Products Korea Ltd  
#909 Hyundai 41 Tower, #2616  
917-9, Mok-dong, Yangchon-gu, Seoul, Korea 158-050  
Tel: +82.2.6092.4700  
Fax: +82.2.6739.4700  
[www.pelican.com/ko](http://www.pelican.com/ko)

### INDIA and SOUTH ASIA (Bangladesh, Bhutan, Maldives, Nepal, Sri Lanka)

Pelican Products and Services India Pvt. Ltd,  
GF 9&10, Augusta Point  
Sector-53, Golf Course Road  
Haryana, Gurgaon 122002, India  
Tel: +91.124.4377227  
Fax: +91.124.4049227  
[www.pelican.com](http://www.pelican.com)

### SE ASIA and rest of ASIA (Hong Kong, Macau, Taiwan, Pakistan)

No.777, Pine City Building ZhaoJiaBang Road  
#10-26 XuHui District  
Shanghai, China 200032  
Phone: +86.21.64189685  
Fax: +86.21.64189679  
[www.pelican.com](http://www.pelican.com)

### LATIN AMERICA

23215 Early Avenue  
Torrance, California 90505 USA  
Tel: +1.310.326.4700 x 1462  
Fax: +1.310.325.5740  
[www.pelican.com](http://www.pelican.com)

