



SINGLE LID SIZE LIST

MAR 2024 | Rev. 3

DESIGNED IN


USA

SINCE 1976



SINGLE LID SIZE LIST


SINGLE LID CASE MEASUREMENT GUIDE



Dimensions are nominal. Weights approximate.

PARTING - LINE WIDTH

- AL = 1.5" (38mm)
- BL = 2.0" (51mm)
- CL = 1.0" (25mm)
- DL = 1.75" (44mm)



CASE SIZE PART NUMBERS

AL 36 27 - 08 05 FT/AC/HL/DE

- FT (fork truckable)
- AC (all catch)
- HL (handle on lid)
- DE (stacking ribs match Classic Racks)

Lid = Case Lid Height
 Base = Case Base Height
 W = Case Width
 L = Case Length
 Parting Line Width

CASE SIZE TOLERANCES

Dimension Range in Inches	Tolerance in Inches
1 to 5.99	±0.12 (1/8")
6 to 36.99	±0.19 (3/16")
37 to 72.99	±0.25 (1/4")
73 to 90.99	±0.31 (5/16")
91 to 108.99	±0.38 (3/8")
109 to 134.00	±0.44 (7/16")

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
1	AL1010-0904	9.93	252	10.00	254	12.70	323	8.70	221	4.00	102	12.93	328	13.00	330	14.39	366	9.80	4.45	0.73	0.02
2	AL1010-0905	9.93	252	10.00	254	13.95	354	8.70	221	5.25	133	12.93	328	13.00	330	15.64	397	10.00	4.54	0.80	0.02
3	AL1010-1404	9.93	252	10.00	254	17.75	451	13.75	349	4.00	102	13.00	330	13.00	330	19.44	494	11.50	5.22	1.02	0.03
4	AL1010-1405	9.93	252	10.00	254	19.00	483	13.75	349	5.25	133	12.93	328	13.00	330	20.69	526	12.40	5.62	1.09	0.03
5	CL1109-0303HL	11.00	279	8.00	203	6.00	152	3.00	76	3.00	76	13.12	333	10.87	276	8.19	208	5.40	2.45	0.31	0.01
6	AL1212-0404FM	12.00	305	12.00	305	8.21	209	4.21	107	4.00	102	15.00	381	15.00	381	9.90	251	9.50	4.31	0.68	0.02
7	AL1212-0405FM	12.00	305	12.00	305	9.33	237	4.21	107	5.12	130	15.00	381	15.00	381	11.02	280	9.70	4.40	0.78	0.02
8	AL1212-0604FM	12.00	305	12.00	305	10.31	262	6.31	160	4.00	102	15.00	381	15.00	381	12.00	305	11.00	4.99	0.86	0.02
9	AL1212-0605FM	12.00	305	12.00	305	11.31	287	6.31	160	5.12	130	15.00	381	15.00	381	13.00	330	11.20	5.08	0.94	0.03
10	AL1212-1204FM	12.00	305	12.00	305	15.27	388	11.27	286	4.00	102	15.00	381	15.00	381	16.96	431	12.80	5.81	1.27	0.04
11	AL1212-1205FM	12.00	305	12.00	305	16.39	416	11.27	286	5.12	130	15.00	381	15.00	381	18.08	459	13.10	5.94	1.37	0.04
12	AL1212-1504FM	12.00	305	12.00	305	19.18	487	15.18	386	4.00	102	15.00	381	15.00	381	20.87	530	14.70	6.67	1.60	0.05
13	AL1212-1505FM	12.00	305	12.00	305	20.30	516	15.18	386	5.12	130	15.00	381	15.00	381	21.99	559	14.90	6.76	1.69	0.05
14	AL1212-1904	12.00	305	12.00	305	22.70	577	18.70	475	4.00	102	15.00	381	15.00	381	24.39	620	16.80	7.62	1.89	0.05
15	AL1212-1905	12.00	305	12.00	305	23.82	605	18.70	475	5.12	130	15.00	381	15.00	381	25.51	648	17.00	7.71	1.99	0.06
16	CL1412-0502	14.00	356	11.87	301	7.43	189	4.93	125	2.50	64	16.87	428	13.87	352	8.44	214	9.40	4.26	0.71	0.02
17	AL1414-0705	14.00	356	14.12	359	11.93	303	6.75	171	5.18	132	17.00	432	17.12	435	13.61	346	14.50	6.58	1.36	0.04
18	AL1413-0505	14.50	368	13.12	333	10.30	262	5.06	129	5.24	133	17.50	445	16.12	409	11.99	305	13.50	6.12	1.13	0.03
19	AL1413-1005	14.50	368	13.12	333	15.42	392	10.18	259	5.24	133	17.50	445	16.12	409	17.11	435	16.50	7.48	1.70	0.05
20	AL1413-2105	14.50	368	13.12	333	25.99	660	20.75	527	5.24	133	17.50	445	16.12	409	27.69	703	19.70	8.94	2.86	0.08
21	AL1616-0404	15.80	401	15.88	403	7.74	197	3.87	98	3.87	98	18.75	476	18.88	480	9.43	240	12.60	5.72	1.12	0.03
22	AL1616-0405	15.80	401	15.88	403	8.99	228	3.87	98	5.12	130	18.75	476	18.88	480	10.69	272	13.70	6.21	1.31	0.04
23	AL1616-0504	15.80	401	15.88	403	9.29	236	5.42	138	3.87	98	18.75	476	18.88	480	10.98	279	13.90	6.30	1.35	0.04
24	AL1616-0505	15.80	401	15.88	403	10.54	268	5.42	138	5.12	130	18.75	476	18.88	480	12.19	310	14.50	6.58	1.53	0.04
25	AL1616-1004	15.80	401	15.88	403	13.74	349	9.87	251	3.87	98	18.75	476	18.88	480	15.43	392	17.20	7.80	2.00	0.06
26	AL1616-1005	15.80	401	15.88	403	14.99	381	9.87	251	5.12	130	18.75	476	18.88	480	16.69	424	17.60	7.98	2.18	0.06

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
27	AL1616-1204	15.80	401	15.88	403	15.20	386	11.33	288	3.87	98	18.75	476	18.88	480	16.89	429	17.90	8.12	2.21	0.06
28	AL1616-0412AC/HL	15.80	401	15.88	403	16.05	408	4.20	107	12.40	315	18.75	476	18.88	480	17.69	449	17.90	8.12	2.33	0.07
29	AL1616-1205	15.80	401	15.88	403	16.45	418	11.33	288	5.12	130	18.75	476	18.88	480	18.14	461	18.60	8.44	2.39	0.07
30	AL1616-0512AC/HL	15.80	401	15.88	403	17.60	447	5.42	138	12.18	309	18.75	476	18.88	480	19.19	487	18.50	8.39	2.56	0.07
31	AL1616-1012AC/HL	15.80	401	15.88	403	22.05	560	9.87	251	12.18	309	18.75	476	18.88	480	23.69	602	22.40	10.16	3.20	0.09
32	AL1616-1804	15.80	401	15.88	403	22.12	562	18.25	464	3.87	98	18.75	476	18.88	480	23.81	605	21.70	9.84	3.21	0.09
33	AL1616-1805	15.80	401	15.88	403	23.37	594	18.25	464	5.12	130	18.75	476	18.88	480	25.07	637	22.00	9.98	3.39	0.10
34	AL1616-1212AC/HL	15.80	401	15.88	403	23.51	597	11.33	288	12.18	309	18.75	476	18.88	480	25.19	640	23.20	10.52	3.41	0.10
35	AL1616-1812AC/HL	15.80	401	15.88	403	30.43	773	18.25	464	12.18	309	18.75	476	18.88	480	32.12	816	26.90	12.20	4.42	0.13
36	CL1713-0403	16.88	429	12.88	327	7.38	187	4.38	111	3.00	76	19.00	483	14.88	378	9.07	230	6.80	3.08	0.93	0.03
37	CL1713-0408AC/HL	16.88	429	12.88	327	12.00	305	4.38	111	7.62	194	19.00	483	14.88	378	13.69	348	11.00	4.99	1.51	0.04
38	AL1717-0909AC/HL	17.00	432	17.00	432	17.86	454	8.86	225	9.00	229	20.00	508	20.00	508	19.55	497	18.80	8.53	2.99	0.08
39	CL1715-0904	17.12	435	14.87	378	14.02	356	9.87	251	4.15	105	19.25	489	16.87	428	15.69	399	12.60	5.72	2.07	0.06
40	GR1815-0603	17.90	455	14.50	368	11.50	292	8.40	213	3.10	79	21.00	533	17.50	445	13.10	333	16.00	7.26	1.73	0.05
41	AL1818-0603HL	17.93	455	17.93	455	9.55	243	6.37	162	3.18	81	20.93	532	20.93	532	11.25	286	16.50	7.48	1.78	0.05
42	AL1814-0504	18.00	457	14.62	371	9.11	231	5.18	132	3.93	100	21.00	533	17.62	448	10.80	274	14.40	6.53	1.39	0.04
43	AL1814-0505	18.00	457	14.62	371	10.38	264	5.18	132	5.20	132	21.00	533	17.62	448	12.05	306	15.60	7.08	1.58	0.04
44	AL1814-1504	18.00	457	14.62	371	18.86	479	14.93	379	3.93	100	21.00	533	17.62	448	20.55	522	19.30	8.75	2.87	0.08
45	AL1814-1505	18.00	457	14.62	371	20.13	511	14.93	379	5.20	132	21.00	533	17.62	448	21.82	554	20.50	9.30	3.07	0.09
46	AL1814-2204	18.00	457	14.62	371	26.11	663	22.18	563	3.93	100	21.00	533	17.62	448	27.80	706	23.40	10.61	3.98	0.11
47	AL1814-2205	18.00	457	14.62	371	27.38	695	22.18	563	5.20	132	21.00	533	17.62	448	29.07	738	24.60	11.16	4.17	0.12
48	AL1812-0602	18.11	460	12.24	311	8.52	216	5.95	151	2.57	65	21.00	533	15.25	387	10.25	260	12.41	5.63	1.09	0.03
49	AL2015-0503HL	19.75	502	15.62	397	7.81	198	5.06	129	2.75	70	22.75	578	18.62	473	9.49	241	16.50	7.48	1.39	0.04
50	AL2015-1503HL	19.75	502	15.62	397	17.95	456	15.20	386	2.75	70	22.75	578	18.62	473	19.64	499	24.10	10.93	3.20	0.09
51	AL2013-0403	19.87	505	13.00	330	7.00	178	4.00	102	3.00	76	22.87	581	16.00	406	8.69	221	13.50	6.12	1.05	0.03
52	AL2013-0903	19.87	505	13.00	330	12.25	311	9.25	235	3.00	76	22.87	581	16.00	406	13.94	354	16.80	7.62	1.83	0.05

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
53	AL2020-1305	19.87	505	19.87	505	18.11	460	12.93	328	5.18	132	22.87	581	22.87	581	19.80	503	25.70	11.66	4.14	0.12
54	CL2012-0902	20.18	513	11.75	298	11.66	296	9.16	233	2.50	64	22.30	566	13.75	349	13.35	339	12.20	5.53	1.60	0.05
55	AL2017-0706	20.24	514	17.15	436	13.00	330	7.00	178	6.00	152	23.24	590	20.15	512	14.82	376	19.10	8.66	2.61	0.07
56	IS2117-1103	21.00	533	17.00	432	14.00	356	11.00	279	3.00	76	24.00	610	20.00	508	16.00	406	20.00	9.07	2.89	0.08
57	AL2216-0503	22.00	559	16.00	406	8.25	210	5.25	133	3.00	76	25.00	635	19.00	483	10.19	259	17.50	7.94	1.68	0.05
58	GR2216-0305	22.00	559	16.00	406	8.30	211	3.00	76	5.30	135	25.00	635	19.00	483	12.10	307	23.00	10.43	1.69	0.05
59	AL2216-0505	22.00	559	16.00	406	10.50	267	5.25	133	5.25	133	25.00	635	19.00	483	12.19	310	18.50	8.39	2.14	0.06
60	AL2216-0803	22.00	559	16.00	406	11.43	290	8.43	214	3.00	76	25.00	635	19.00	483	13.37	340	19.00	8.62	2.33	0.07
61	AL2216-0805	22.00	559	16.00	406	13.68	347	8.43	214	5.25	133	25.00	635	19.00	483	15.37	390	20.00	9.07	2.79	0.08
62	AL2216-1203	22.00	559	16.00	406	15.25	387	12.25	311	3.00	76	25.00	635	19.00	483	17.19	437	21.10	9.57	3.11	0.09
63	AL2216-1205	22.00	559	16.00	406	17.50	445	12.25	311	5.25	133	25.00	635	19.00	483	19.19	487	22.10	10.02	3.56	0.10
64	AL2221-0419DE	22.40	569	21.00	533	23.62	600	4.00	102	19.60	498	25.50	648	24.06	611	25.31	643	32.01	14.51	6.43	0.18
65	AL2221-0402	22.50	572	21.06	535	6.15	156	3.90	99	2.25	57	25.50	648	24.06	611	8.31	211	21.20	9.62	1.69	0.05
66	AL2221-0404	22.50	572	21.06	535	7.65	194	3.90	99	3.75	95	25.50	648	24.06	611	9.80	249	22.40	10.16	2.10	0.06
67	AL2221-0602	22.50	572	21.06	535	8.75	222	6.50	165	2.25	57	25.50	648	24.06	611	10.44	265	22.80	10.34	2.40	0.07
68	AL2221-0405	22.50	572	21.06	535	8.90	226	3.90	99	5.00	127	25.50	648	24.06	611	11.00	279	23.30	10.57	2.44	0.07
69	AL2221-0604	22.50	572	21.06	535	10.25	260	6.50	165	3.75	95	25.50	648	24.06	611	11.94	303	24.00	10.89	2.81	0.08
70	AL2221-0605	22.50	572	21.06	535	11.50	292	6.50	165	5.00	127	25.50	648	24.06	611	13.13	334	24.80	11.25	3.15	0.09
71	AL2221-1202	22.50	572	21.06	535	14.31	363	12.06	306	2.25	57	25.50	648	24.06	611	15.99	406	25.00	11.34	3.92	0.11
72	AL2221-1204	22.50	572	21.06	535	15.81	402	12.06	306	3.75	95	25.50	648	24.06	611	17.49	444	26.20	11.88	4.34	0.12
73	AL2221-1205	22.50	572	21.06	535	17.06	433	12.06	306	5.00	127	25.50	648	24.06	611	18.75	476	27.30	12.38	4.68	0.13
74	AL2221-0414AC/HL	22.50	572	21.06	535	18.15	461	3.90	99	14.25	362	25.50	648	24.06	611	20.20	513	30.11	13.65	4.98	0.14
75	AL2221-0614AC/HL	22.50	572	21.06	535	20.75	527	6.50	165	14.25	362	25.50	648	24.06	611	22.37	568	29.41	13.34	5.69	0.16
76	AL2221-1802	22.50	572	21.06	535	20.87	530	18.62	473	2.25	57	25.50	648	24.06	611	22.56	573	32.01	14.51	5.72	0.16
77	AL2221-1804	22.50	572	21.06	535	22.37	568	18.62	473	3.75	95	25.50	648	24.06	611	24.06	611	33.21	15.06	6.13	0.17
78	AL2221-1805	22.50	572	21.06	535	23.62	600	18.62	473	5.00	127	25.50	648	24.06	611	25.31	643	34.11	15.47	6.48	0.18

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
79	AL2221-1214AC	22.50	572	21.06	535	26.31	668	12.06	306	14.25	362	25.50	648	24.06	611	27.99	711	31.81	14.42	7.21	0.20
80	AL2221-2802	22.50	572	21.06	535	30.75	781	28.50	724	2.25	57	25.50	648	24.06	611	32.07	815	38.61	17.51	8.43	0.24
81	AL2221-2804	22.50	572	21.06	535	31.87	809	28.12	714	3.75	95	25.50	648	24.06	611	33.57	853	39.81	18.05	8.74	0.25
82	AL2221-1814AC	22.50	572	21.06	535	32.87	835	18.62	473	14.25	362	25.50	648	24.06	611	34.57	878	38.61	17.51	9.01	0.26
83	AL2221-2805	22.50	572	21.06	535	33.12	841	28.12	714	5.00	127	25.50	648	24.06	611	34.81	884	40.61	18.42	9.08	0.26
84	AL2221-2814AC	22.50	572	21.06	535	42.37	1076	28.12	714	14.25	362	25.50	648	24.06	611	44.07	1119	39.11	17.74	11.62	0.33
85	AL2318-1205	22.87	581	17.93	455	17.45	443	12.25	311	5.20	132	25.87	657	20.93	532	19.39	493	25.50	11.57	4.14	0.12
86	AL2318-1705	22.87	581	17.93	455	22.30	566	17.18	436	5.12	130	25.87	657	20.93	532	24.24	616	29.10	13.20	5.29	0.15
87	AL2313-1004	23.00	584	13.00	330	15.48	393	10.85	276	4.63	118	26.00	660	16.00	406	17.67	449	20.20	9.16	2.68	0.08
88	GR2221-0405	23.00	584	21.40	544	11.50	292	6.10	155	4.90	124	26.70	678	24.80	630	13.50	343	25.00	11.34	3.28	0.09
89	AL2315-2507	23.25	591	15.25	387	32.49	825	25.37	644	7.12	181	26.25	667	18.25	464	35.70	907	32.21	14.61	6.67	0.19
90	AL2221-2302	23.30	592	21.40	544	25.40	645	23.30	592	2.10	53	26.50	673	24.60	625	27.50	699	28.50	12.93	7.33	0.21
91	AL2221-2304	23.30	592	21.40	544	27.40	696	23.30	592	4.10	104	26.50	673	24.60	625	29.10	739	29.91	13.56	7.91	0.22
92	AL2221-2305	23.30	592	21.40	544	28.70	729	23.30	592	5.40	137	26.50	673	24.60	625	30.40	772	30.81	13.97	8.28	0.23
93	AL2221-2314	23.30	592	21.40	544	38.10	968	23.30	592	14.80	376	26.50	673	24.60	625	39.90	1013	36.91	16.74	10.99	0.31
94	AL2316-0604	23.50	597	15.87	403	11.24	285	6.37	162	4.87	124	26.50	673	18.87	479	13.43	341	19.80	8.98	2.43	0.07
95	AL2417-1505	24.00	610	17.00	432	20.02	509	14.84	377	5.18	132	27.00	686	20.00	508	21.96	558	27.30	12.38	4.73	0.13
96	AL2412-1505	24.18	614	12.00	305	20.08	510	14.90	378	5.18	132	27.18	690	15.00	381	22.27	566	22.00	9.98	3.37	0.10
97	AL2414-1604	24.25	616	14.25	362	20.12	511	16.06	408	4.06	103	27.25	692	17.25	438	22.12	562	23.00	10.43	4.02	0.11
98	AL2415-0215AC/HL	24.25	616	15.25	387	16.77	426	1.93	49	14.84	377	27.25	692	18.25	464	18.96	482	25.70	11.66	3.59	0.10
99	AL2414-0509AC/HL	24.62	625	14.57	370	14.52	369	5.18	132	9.34	237	27.62	702	17.57	446	16.71	424	23.60	10.70	3.01	0.09
100	CL2406-0303	24.75	629	6.62	168	6.12	155	3.06	78	3.06	78	26.87	682	8.62	219	7.81	198	6.60	2.99	0.58	0.02
101	CL2407-0404	24.75	629	7.50	191	6.86	174	3.50	89	3.36	85	26.87	682	9.50	241	8.55	217	8.80	3.99	0.74	0.02
102	AL2423-0503	24.75	629	23.25	591	7.99	203	4.68	119	3.31	84	27.75	705	26.25	667	11.56	294	23.30	10.57	2.66	0.08
103	AL2423-0504	24.75	629	23.25	591	8.58	218	4.68	119	3.90	99	27.75	705	26.25	667	12.15	309	24.00	10.89	2.86	0.08
104	AL2423-0506	24.75	629	23.25	591	10.93	278	4.68	119	6.25	159	27.75	705	26.25	667	13.04	331	25.00	11.34	3.64	0.10

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
105	AL2423-0903	24.75	629	23.25	591	12.06	306	8.75	222	3.31	84	27.75	705	26.25	667	15.20	386	24.90	11.29	4.02	0.11
106	AL2423-0904	24.75	629	23.25	591	12.65	321	8.75	222	3.90	99	27.75	705	26.25	667	15.79	401	25.60	11.61	4.21	0.12
107	AL2423-1103	24.75	629	23.25	591	14.06	357	10.75	273	3.31	84	27.75	705	26.25	667	16.75	425	27.30	12.38	4.68	0.13
108	AL2423-1104	24.75	629	23.25	591	14.65	372	10.75	273	3.90	99	27.75	705	26.25	667	17.34	440	28.00	12.70	4.88	0.14
109	AL2423-0906	24.75	629	23.25	591	15.00	381	8.75	222	6.25	159	27.75	705	26.25	667	18.19	462	28.00	12.70	5.00	0.14
110	AL2423-0511AC/HL	24.75	629	23.25	591	15.93	405	4.68	119	11.25	286	27.75	705	26.25	667	19.55	497	30.21	13.70	5.30	0.15
111	AL2423-1106	24.75	629	23.25	591	17.00	432	10.75	273	6.25	159	27.75	705	26.25	667	19.69	500	29.51	13.38	5.66	0.16
112	AL2423-0911AC/HL	24.75	629	23.25	591	20.00	508	8.75	222	11.25	286	27.75	705	26.25	667	23.19	589	31.81	14.42	6.66	0.19
113	AL2423-1111AC/HL	24.75	629	23.25	591	22.00	559	10.75	273	11.25	286	27.75	705	26.25	667	24.69	627	32.31	14.65	7.33	0.21
114	AL2617-0604	26.00	660	17.25	438	9.89	251	6.14	156	3.75	95	29.00	737	20.25	514	12.08	307	22.50	10.21	2.57	0.07
115	AL2617-1104	26.00	660	17.25	438	14.75	375	11.00	279	3.75	95	29.00	737	20.25	514	16.94	430	26.20	11.88	3.83	0.11
116	AL2624-0503	26.00	660	24.12	613	8.75	222	5.37	136	3.37	86	29.00	737	27.00	686	12.00	305	24.00	10.89	3.18	0.09
117	AL2624-0503LW	26.00	660	24.12	613	8.75	222	5.37	136	3.37	86	29.00	737	27.00	686	12.00	305	24.00	10.89	3.18	0.09
118	AL2624-0505	26.00	660	24.12	613	10.43	265	5.37	136	5.06	129	29.00	737	27.00	686	13.89	353	28.00	12.70	3.79	0.11
119	AL2624-0505LW	26.00	660	24.12	613	10.43	265	5.37	136	5.06	129	29.00	737	27.00	686	13.89	353	28.00	12.70	3.79	0.11
120	AL2624-0803	26.00	660	24.12	613	11.43	290	8.06	205	3.37	86	29.00	737	27.00	686	14.50	368	28.00	12.70	4.15	0.12
121	AL2624-0803LW	26.00	660	24.12	613	11.43	290	8.06	205	3.37	86	29.00	737	27.00	686	14.50	368	28.00	12.70	4.15	0.12
122	AL2624-0803W	26.00	660	24.12	613	11.43	290	8.06	205	3.37	86	29.00	737	27.00	686	14.50	368	28.00	12.70	4.15	0.12
123	AL2624-0803WLW	26.00	660	24.12	613	11.43	290	8.06	205	3.37	86	29.00	737	27.00	686	14.50	368	28.00	12.70	4.15	0.12
124	AL2624-1203	26.00	660	24.12	613	15.24	387	11.87	301	3.37	86	29.00	737	27.00	686	18.46	469	31.01	14.06	5.53	0.16
125	AL2624-1203LW	26.00	660	24.12	613	15.24	387	11.87	301	3.37	86	29.00	737	27.00	686	18.46	469	31.01	14.06	5.53	0.16
126	AL2624-0513AC	26.00	660	24.12	613	18.49	470	5.37	136	13.12	333	29.00	737	27.00	686	21.94	557	32.01	14.51	6.71	0.19
127	AL2624-0513LW	26.00	660	24.12	613	18.49	470	5.37	136	13.12	333	29.00	737	27.00	686	21.94	557	32.01	14.51	6.71	0.19
128	AL2624-1803	26.00	660	24.12	613	21.18	538	17.81	452	3.37	86	29.00	737	27.00	686	25.12	638	35.01	15.88	7.69	0.22
129	AL2624-1803LW	26.00	660	24.12	613	21.18	538	17.81	452	3.37	86	29.00	737	27.00	686	25.12	638	35.01	15.88	7.69	0.22
130	AL2624-0524AC	26.00	660	24.12	613	29.39	747	5.37	136	24.00	610	29.00	737	27.00	686	32.66	830	42.01	19.05	10.67	0.30

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
131	AL2624-2703	26.00	660	24.12	613	30.04	763	26.67	677	3.37	86	29.00	737	27.00	686	34.37	873	41.01	18.60	10.90	0.31
132	AL2624-0805	26.06	662	24.00	610	13.12	333	8.06	205	5.06	129	29.06	738	27.00	686	16.81	427	31.31	14.20	4.75	0.13
133	AL2624-0805W	26.06	662	24.00	610	13.12	333	8.06	205	5.06	129	29.06	738	27.00	686	16.81	427	31.31	14.20	4.75	0.13
134	AL2624-0805LW	26.06	662	24.00	610	13.12	333	8.06	205	5.06	129	29.06	738	27.00	686	16.81	427	31.31	14.20	4.75	0.13
135	AL2624-0805WLW	26.06	662	24.00	610	13.12	333	8.06	205	5.06	129	29.06	738	27.00	686	16.81	427	31.31	14.20	4.75	0.13
136	AL2624-1205	26.06	662	24.00	610	16.93	430	11.87	301	5.06	129	29.06	738	27.00	686	20.69	526	34.11	15.47	6.13	0.17
137	AL2624-1205LW	26.06	662	24.00	610	16.93	430	11.87	301	5.06	129	29.06	738	27.00	686	20.69	526	34.11	15.47	6.13	0.17
138	AL2624-0813AC/HL	26.06	662	24.00	610	21.18	538	8.06	205	13.12	333	29.06	738	27.00	686	24.87	632	36.21	16.42	7.67	0.22
139	AL2624-0813LW	26.06	662	24.00	610	21.18	538	8.06	205	13.12	333	29.06	738	27.00	686	24.87	632	36.21	16.42	7.67	0.22
140	AL2624-1805	26.06	662	24.00	610	22.87	581	17.81	452	5.06	129	29.06	738	27.00	686	26.62	676	38.51	17.46	8.28	0.23
141	AL2624-1213AC/HL	26.06	662	24.00	610	24.99	635	11.87	301	13.12	333	29.06	738	27.00	686	28.69	729	38.21	17.33	9.05	0.26
142	AL2624-1813AC/HL	26.06	662	24.00	610	30.93	786	17.81	452	13.12	333	29.06	738	27.00	686	34.62	879	43.51	19.73	11.20	0.32
143	AL2624-2705	26.06	662	24.00	610	31.73	806	26.67	677	5.06	129	29.06	738	27.00	686	35.48	901	44.51	20.18	11.48	0.33
144	AL2624-0824AC/HL	26.06	662	24.00	610	32.06	814	8.06	205	24.00	610	29.06	738	27.00	686	35.75	908	45.41	20.59	11.60	0.33
145	AL2624-1224AC/HL	26.06	662	24.00	610	35.87	911	11.87	301	24.00	610	29.06	738	27.00	686	39.57	1005	48.21	21.86	12.98	0.37
146	AL2624-2713AC	26.06	662	24.00	610	39.79	1011	26.67	677	13.12	333	29.06	738	27.00	686	43.48	1104	49.41	22.41	14.40	0.41
147	AL2624-1824AC	26.06	662	24.00	610	41.81	1062	17.81	452	24.00	610	29.06	738	27.00	686	45.50	1156	52.41	23.77	15.13	0.43
148	AL2624-2724AC	26.06	662	24.00	610	50.67	1287	26.67	677	24.00	610	29.06	738	27.00	686	54.73	1390	58.31	26.44	18.34	0.52
149	AL2727-0404	27.00	686	27.00	686	7.49	190	3.62	92	3.87	98	30.00	762	30.00	762	9.69	246	30.51	13.83	3.16	0.09
150	AL2727-0404LW	27.00	686	27.00	686	7.49	190	3.62	92	3.87	98	30.00	762	30.00	762	9.69	246	30.51	13.83	3.16	0.09
151	AL2727-0405	27.00	686	27.00	686	8.62	219	3.62	92	5.00	127	30.00	762	30.00	762	10.81	275	32.01	14.51	3.64	0.10
152	AL2727-0405LW	27.00	686	27.00	686	8.62	219	3.62	92	5.00	127	30.00	762	30.00	762	10.81	275	32.01	14.51	3.64	0.10
153	AL2727-0504	27.00	686	27.00	686	8.87	225	5.00	127	3.87	98	30.00	762	30.00	762	11.06	281	30.61	13.88	3.74	0.11
154	AL2727-0504LW	27.00	686	27.00	686	8.87	225	5.00	127	3.87	98	30.00	762	30.00	762	11.06	281	30.61	13.88	3.74	0.11
155	AL2727-0505	27.00	686	27.00	686	10.00	254	5.00	127	5.00	127	30.00	762	30.00	762	12.19	310	32.01	14.51	4.22	0.12
156	AL2727-0505LW	27.00	686	27.00	686	10.00	254	5.00	127	5.00	127	30.00	762	30.00	762	12.19	310	32.01	14.51	4.22	0.12

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L		W		H		lbs	kg	ft ³	m ³
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)				
157	AL2727-0904	27.00	686	27.00	686	12.67	322	8.80	224	3.87	98	30.00	762	30.00	762	14.86	377	33.01	14.97	5.35	0.15
158	AL2727-0904LW	27.00	686	27.00	686	12.67	322	8.80	224	3.87	98	30.00	762	30.00	762	14.86	377	33.01	14.97	5.35	0.15
159	AL2727-0409AC/HL	27.00	686	27.00	686	12.87	327	3.62	92	9.25	235	30.00	762	30.00	762	15.06	383	34.51	15.65	5.43	0.15
160	AL2727-0409LW	27.00	686	27.00	686	12.87	327	3.62	92	9.25	235	30.00	762	30.00	762	15.06	383	34.51	15.65	5.43	0.15
161	AL2727-0905	27.00	686	27.00	686	13.80	351	8.80	224	5.00	127	30.00	762	30.00	762	15.99	406	34.51	15.65	5.82	0.16
162	AL2727-0905LW	27.00	686	27.00	686	13.80	351	8.80	224	5.00	127	30.00	762	30.00	762	15.99	406	34.51	15.65	5.82	0.16
163	AL2727-0509AC/HL	27.00	686	27.00	686	14.25	362	5.00	127	9.25	235	30.00	762	30.00	762	16.44	418	34.61	15.69	6.01	0.17
164	AL2727-0509LW	27.00	686	27.00	686	14.25	362	5.00	127	9.25	235	30.00	762	30.00	762	16.44	418	34.61	15.69	6.01	0.17
165	AL2727-0414AC/HL	27.00	686	27.00	686	17.87	454	3.62	92	14.25	362	30.00	762	30.00	762	20.06	510	38.51	17.46	7.54	0.21
166	AL2727-0414LW	27.00	686	27.00	686	17.87	454	3.62	92	14.25	362	30.00	762	30.00	762	20.06	510	38.51	17.46	7.54	0.21
167	AL2727-1404	27.00	686	27.00	686	17.99	457	14.12	359	3.87	98	30.00	762	30.00	762	20.18	513	37.11	16.83	7.59	0.21
168	AL2727-1404LW	27.00	686	27.00	686	17.99	457	14.12	359	3.87	98	30.00	762	30.00	762	20.18	513	37.11	16.83	7.59	0.21
169	AL2727-0909AC/HL	27.00	686	27.00	686	18.05	458	8.80	224	9.25	235	30.00	762	30.00	762	20.24	514	37.01	16.78	7.61	0.22
170	AL2727-0909LW	27.00	686	27.00	686	18.05	458	8.80	224	9.25	235	30.00	762	30.00	762	20.24	514	37.01	16.78	7.61	0.22
171	AL2727-1405	27.00	686	27.00	686	19.12	486	14.12	359	5.00	127	30.00	762	30.00	762	21.31	541	38.61	17.51	8.07	0.23
172	AL2727-1405	27.00	686	27.00	686	19.12	486	14.12	359	5.00	127	30.00	762	30.00	762	21.31	541	38.61	17.51	8.07	0.23
173	AL2727-0514AC/HL	27.00	686	27.00	686	19.25	489	5.00	127	14.25	362	30.00	762	30.00	762	21.44	545	38.71	17.55	8.12	0.23
174	AL2727-0514LW	27.00	686	27.00	686	19.25	489	5.00	127	14.25	362	30.00	762	30.00	762	21.44	545	38.71	17.55	8.12	0.23
175	AL2727-0914AC/HL	27.00	686	27.00	686	23.05	585	8.80	224	14.25	362	30.00	762	30.00	762	25.24	641	41.11	18.64	9.72	0.28
176	AL2727-1409AC	27.00	686	27.00	686	23.37	594	14.12	359	9.25	235	30.00	762	30.00	762	25.56	649	41.11	18.64	9.86	0.28
177	AL2727-2304	27.00	686	27.00	686	26.62	676	22.75	578	3.87	98	30.00	762	30.00	762	28.79	731	43.21	19.60	11.23	0.32
178	AL2727-2305	27.00	686	27.00	686	27.75	705	22.75	578	5.00	127	30.00	762	30.00	762	29.94	760	43.31	19.64	11.71	0.33
179	AL2727-1414AC/HL	27.00	686	27.00	686	28.37	721	14.12	359	14.25	362	30.00	762	30.00	762	30.56	776	45.21	20.50	11.97	0.34
180	AL2727-2704	27.00	686	27.00	686	30.84	783	26.97	685	3.87	98	30.00	762	30.00	762	33.03	839	47.61	21.59	13.01	0.37
181	AL2727-2705	27.00	686	27.00	686	31.97	812	26.97	685	5.00	127	30.00	762	30.00	762	34.19	868	49.01	22.23	13.49	0.38
182	AL2727-2309AC	27.00	686	27.00	686	32.00	813	22.75	578	9.25	235	30.00	762	30.00	762	34.19	868	49.01	22.23	13.50	0.38

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
183	AL2727-2709AC	27.00	686	27.00	686	36.22	920	26.97	685	9.25	235	30.00	762	30.00	762	38.41	976	51.61	23.41	15.28	0.43
184	AL2727-2314AC	27.00	686	27.00	686	37.00	940	22.75	578	14.25	362	30.00	762	30.00	762	39.19	995	53.01	24.04	15.61	0.44
185	AL2727-2714AC	27.00	686	27.00	686	41.22	1047	26.97	685	14.25	362	30.00	762	30.00	762	43.41	1103	55.51	25.17	17.39	0.49
186	AL2818-0805	28.12	714	18.12	460	13.24	336	8.12	206	5.12	130	31.12	790	21.12	536	15.43	392	26.50	12.02	3.90	0.11
187	AL2818-0805LW	28.12	714	18.12	460	13.24	336	8.12	206	5.12	130	31.12	790	21.12	536	15.43	392	26.50	12.02	3.90	0.11
188	AL2822-1212AC	28.13	715	24.25	616	22.13	562	12.12	308	12.13	308	31.25	794	25.25	641	26.75	679	38.51	17.46	8.74	0.25
189	AL2825-1212	28.13	715	25.00	635	24.92	633	12.62	321	12.30	312	31.50	800	28.00	711	26.43	671	44.01	19.96	10.14	0.29
190	AL2909-0605	28.50	724	8.50	216	11.25	286	6.00	152	5.25	133	31.50	800	11.50	292	12.94	329	15.90	7.21	1.58	0.04
191	AL2909-0605LW	28.50	724	8.50	216	11.25	286	6.00	152	5.25	133	31.50	800	11.50	292	12.94	329	15.90	7.21	1.58	0.04
192	AL2825-1205	28.50	724	25.00	635	17.74	451	12.62	321	5.12	130	31.50	800	28.00	711	19.43	494	37.41	16.96	7.31	0.21
193	AL2825-1605	28.50	724	25.00	635	21.62	549	16.50	419	5.12	130	31.50	800	28.00	711	23.86	606	39.01	17.69	8.91	0.25
194	AL2825-1612AC/HL	28.50	724	25.00	635	28.80	732	16.50	419	12.30	312	31.50	800	28.00	711	30.99	787	45.61	20.68	11.88	0.34
195	AL2914-0905LW	28.87	733	14.50	368	14.05	357	8.87	225	5.18	132	31.87	809	17.50	445	16.00	406	23.10	10.48	3.40	0.10
196	AL2914-0905	28.87	733	14.50	368	14.05	357	8.87	225	5.18	132	31.87	809	17.50	445	16.00	406	23.10	10.48	3.40	0.10
197	AL2914-0906LW	28.87	733	14.50	368	15.05	382	8.87	225	6.18	157	31.87	809	17.50	445	17.00	432	24.50	11.11	3.65	0.10
198	AL2914-0906	28.87	733	14.50	368	15.05	382	8.87	225	6.18	157	31.87	809	17.50	445	17.00	432	24.50	11.11	3.65	0.10
199	IS2917-1103W	29.00	737	17.00	432	14.00	356	11.00	279	3.00	76	32.00	813	20.00	508	16.00	406	26.00	11.79	3.99	0.11
200	AL2924-0904	29.24	743	23.87	606	13.31	338	9.34	237	3.97	101	32.24	819	26.87	682	15.50	394	30.31	13.74	5.38	0.15
201	AL2914-0605	29.60	752	14.80	376	11.30	287	5.90	150	5.40	137	32.80	833	18.00	457	12.90	328	20.60	9.34	2.86	0.08
202	AL2914-0605LW	29.60	752	14.80	376	11.30	287	5.90	150	5.40	137	32.80	833	18.00	457	12.90	328	20.60	9.34	2.86	0.08
203	AL2914-0606	29.60	752	14.80	376	12.60	320	5.90	150	6.70	170	32.80	833	18.00	457	14.20	361	21.50	9.75	3.19	0.09
204	AL2914-0606LW	29.60	752	14.80	376	12.60	320	5.90	150	6.70	170	32.80	833	18.00	457	14.20	361	21.50	9.75	3.19	0.09
205	AL2914-0618	29.60	752	14.80	376	25.70	653	5.90	150	19.80	503	32.80	833	18.00	457	27.30	693	29.51	13.38	6.52	0.18
206	AL2914-0918	29.60	752	14.80	376	29.00	737	9.20	234	19.80	503	32.80	833	18.00	457	30.50	775	42.51	19.28	7.35	0.21
207	AL3018-0402LW	29.75	756	17.87	454	7.12	181	4.50	114	2.62	67	32.75	832	20.87	530	8.94	227	20.40	9.25	2.19	0.06
208	AL3018-0402	29.75	756	17.87	454	7.12	181	4.50	114	2.62	67	32.75	832	20.87	530	8.94	227	20.40	9.25	2.19	0.06

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
209	AL3018-0403LW	29.75	756	17.87	454	8.12	206	4.50	114	3.62	92	32.75	832	20.87	530	9.94	252	21.20	9.62	2.50	0.07
210	AL3018-0403	29.75	756	17.87	454	8.12	206	4.50	114	3.62	92	32.75	832	20.87	530	9.94	252	21.20	9.62	2.50	0.07
211	AL3018-0405LW	29.75	756	17.87	454	9.75	248	4.50	114	5.25	133	32.75	832	20.87	530	11.56	294	21.50	9.75	3.00	0.08
212	AL3018-0405	29.75	756	17.87	454	9.75	248	4.50	114	5.25	133	32.75	832	20.87	530	11.56	294	21.50	9.75	3.00	0.08
213	AL3018-0802LW	29.75	756	17.87	454	10.80	274	8.18	208	2.62	67	32.75	832	20.87	530	12.61	320	24.90	11.29	3.32	0.09
214	AL3018-0802W	29.75	756	17.87	454	10.80	274	8.18	208	2.62	67	32.75	832	20.87	530	12.61	320	24.90	11.29	3.32	0.09
215	AL3018-0802WLW	29.75	756	17.87	454	10.80	274	8.18	208	2.62	67	32.75	832	20.87	530	12.61	320	24.90	11.29	3.32	0.09
216	AL3018-0802	29.75	756	17.87	454	10.80	274	8.18	208	2.62	67	32.75	832	20.87	530	12.61	320	24.90	11.29	3.32	0.09
217	AL3018-0803LW	29.75	756	17.87	454	11.80	300	8.18	208	3.62	92	32.75	832	20.87	530	13.61	346	25.70	11.66	3.63	0.10
218	AL3018-0803W	29.75	756	17.87	454	11.80	300	8.18	208	3.62	92	32.75	832	20.87	530	13.61	346	25.70	11.66	3.63	0.10
219	AL3018-0803WLW	29.75	756	17.87	454	11.80	300	8.18	208	3.62	92	32.75	832	20.87	530	13.61	346	25.70	11.66	3.63	0.10
220	AL3018-0803	29.75	756	17.87	454	11.80	300	8.18	208	3.62	92	32.75	832	20.87	530	13.61	346	25.70	11.66	3.63	0.10
221	AL3018-0902LW	29.75	756	17.87	454	11.99	305	9.37	238	2.62	67	32.75	832	20.87	530	13.81	351	26.80	12.16	3.69	0.10
222	AL3018-0902W	29.75	756	17.87	454	11.99	305	9.37	238	2.62	67	32.75	832	20.87	530	13.81	351	26.80	12.16	3.69	0.10
223	AL3018-0902WLW	29.75	756	17.87	454	11.99	305	9.37	238	2.62	67	32.75	832	20.87	530	13.81	351	26.80	12.16	3.69	0.10
224	AL3018-0902	29.75	756	17.87	454	11.99	305	9.37	238	2.62	67	32.75	832	20.87	530	13.81	351	26.80	12.16	3.69	0.10
225	AL3018-0903LW	29.75	756	17.87	454	12.99	330	9.37	238	3.62	92	32.75	832	20.87	530	14.81	376	27.60	12.52	4.00	0.11
226	AL3018-0903W	29.75	756	17.87	454	12.99	330	9.37	238	3.62	92	32.75	832	20.87	530	14.81	376	27.60	12.52	4.00	0.11
227	AL3018-0903WLW	29.75	756	17.87	454	12.99	330	9.37	238	3.62	92	32.75	832	20.87	530	14.81	376	27.60	12.52	4.00	0.11
228	AL3018-0903	29.75	756	17.87	454	12.99	330	9.37	238	3.62	92	32.75	832	20.87	530	14.81	376	27.60	12.52	4.00	0.11
229	AL3018-0805LW	29.75	756	17.87	454	13.43	341	8.18	208	5.25	133	32.75	832	20.87	530	15.24	387	26.00	11.79	4.13	0.12
230	AL3018-0805W	29.75	756	17.87	454	13.43	341	8.18	208	5.25	133	32.75	832	20.87	530	15.24	387	26.00	11.79	4.13	0.12
231	AL3018-0805WLW	29.75	756	17.87	454	13.43	341	8.18	208	5.25	133	32.75	832	20.87	530	15.24	387	26.00	11.79	4.13	0.12
232	AL3018-0805	29.75	756	17.87	454	13.43	341	8.18	208	5.25	133	32.75	832	20.87	530	15.24	387	26.00	11.79	4.13	0.12
233	AL3018-0409LW	29.75	756	17.87	454	13.75	349	4.50	114	9.25	235	32.75	832	20.87	530	15.56	395	27.70	12.56	4.23	0.12
234	AL3018-0409	29.75	756	17.87	454	13.75	349	4.50	114	9.25	235	32.75	832	20.87	530	15.56	395	27.70	12.56	4.23	0.12

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
235	AL3018-0905LW	29.75	756	17.87	454	14.62	371	9.37	238	5.25	133	32.75	832	20.87	530	16.43	417	27.80	12.61	4.50	0.13
236	AL3018-0905W	29.75	756	17.87	454	14.62	371	9.37	238	5.25	133	32.75	832	20.87	530	16.43	417	27.80	12.61	4.50	0.13
237	AL3018-0905WLW	29.75	756	17.87	454	14.62	371	9.37	238	5.25	133	32.75	832	20.87	530	16.43	417	27.80	12.61	4.50	0.13
238	AL3018-0905	29.75	756	17.87	454	14.62	371	9.37	238	5.25	133	32.75	832	20.87	530	16.43	417	27.80	12.61	4.50	0.13
239	AL3018-0809LW	29.75	756	17.87	454	17.43	443	8.18	208	9.25	235	32.75	832	20.87	530	19.24	489	32.21	14.61	5.36	0.15
240	AL3018-0809WLW	29.75	756	17.87	454	17.43	443	8.18	208	9.25	235	32.75	832	20.87	530	19.24	489	32.21	14.61	5.36	0.15
241	AL3018-0809	29.75	756	17.87	454	17.43	443	8.18	208	9.25	235	32.75	832	20.87	530	19.24	489	32.21	14.61	5.36	0.15
242	AL3018-0809W	29.75	756	17.87	454	17.43	443	8.18	208	9.25	235	32.75	832	20.87	530	19.24	489	32.21	14.61	5.36	0.15
243	AL3018-1502LW	29.75	756	17.87	454	17.49	444	14.87	378	2.62	67	32.75	832	20.87	530	19.31	490	29.71	13.47	5.38	0.15
244	AL3018-1502W	29.75	756	17.87	454	17.49	444	14.87	378	2.62	67	32.75	832	20.87	530	19.31	490	29.71	13.47	5.38	0.15
245	AL3018-1502WLW	29.75	756	17.87	454	17.49	444	14.87	378	2.62	67	32.75	832	20.87	530	19.31	490	29.71	13.47	5.38	0.15
246	AL3018-1502	29.75	756	17.87	454	17.49	444	14.87	378	2.62	67	32.75	832	20.87	530	19.31	490	29.71	13.47	5.38	0.15
247	AL3018-1503LW	29.75	756	17.87	454	18.49	470	14.87	378	3.62	92	32.75	832	20.87	530	20.31	516	30.51	13.83	5.69	0.16
248	AL3018-1503W	29.75	756	17.87	454	18.49	470	14.87	378	3.62	92	32.75	832	20.87	530	20.31	516	30.51	13.83	5.69	0.16
249	AL3018-1503WLW	29.75	756	17.87	454	18.49	470	14.87	378	3.62	92	32.75	832	20.87	530	20.31	516	30.51	13.83	5.69	0.16
250	AL3018-1503	29.75	756	17.87	454	18.49	470	14.87	378	3.62	92	32.75	832	20.87	530	20.31	516	30.51	13.83	5.69	0.16
251	AL3018-0909LW	29.75	756	17.87	454	18.62	473	9.37	238	9.25	235	32.75	832	20.87	530	20.43	519	33.91	15.38	5.73	0.16
252	AL3018-0909W	29.75	756	17.87	454	18.62	473	9.37	238	9.25	235	32.75	832	20.87	530	20.43	519	33.91	15.38	5.73	0.16
253	AL3018-0909WLW	29.75	756	17.87	454	18.62	473	9.37	238	9.25	235	32.75	832	20.87	530	20.43	519	33.91	15.38	5.73	0.16
254	AL3018-0909	29.75	756	17.87	454	18.62	473	9.37	238	9.25	235	32.75	832	20.87	530	20.43	519	33.91	15.38	5.73	0.16
255	AL3018-1505LW	29.75	756	17.87	454	20.12	511	14.87	378	5.25	133	32.75	832	20.87	530	21.93	557	31.81	14.42	6.19	0.18
256	AL3018-1505W	29.75	756	17.87	454	20.12	511	14.87	378	5.25	133	32.75	832	20.87	530	21.93	557	31.81	14.42	6.19	0.18
257	AL3018-1505WLW	29.75	756	17.87	454	20.12	511	14.87	378	5.25	133	32.75	832	20.87	530	21.93	557	31.81	14.42	6.19	0.18
258	AL3018-1505	29.75	756	17.87	454	20.12	511	14.87	378	5.25	133	32.75	832	20.87	530	21.93	557	31.81	14.42	6.19	0.18
259	AL3018-1509LW	29.75	756	17.87	454	24.12	613	14.87	378	9.25	235	32.75	832	20.87	530	25.93	659	37.01	16.78	7.42	0.21
260	AL3018-1509W	29.75	756	17.87	454	24.12	613	14.87	378	9.25	235	32.75	832	20.87	530	25.93	659	37.01	16.78	7.42	0.21

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
261	AL3018-1509WLW	29.75	756	17.87	454	24.12	613	14.87	378	9.25	235	32.75	832	20.87	530	25.93	659	37.01	16.78	7.42	0.21
262	AL3018-1509	29.75	756	17.87	454	24.12	613	14.87	378	9.25	235	32.75	832	20.87	530	25.93	659	37.01	16.78	7.42	0.21
263	AL3018-3602W	29.75	756	17.87	454	38.87	987	36.25	921	2.62	67	32.75	832	20.87	530	40.68	1033	43.01	19.50	11.96	0.34
264	AL3018-3602	29.75	756	17.87	454	38.87	987	36.25	921	2.62	67	32.75	832	20.87	530	40.68	1033	43.01	19.50	11.96	0.34
265	AL3018-3603W	29.75	756	17.87	454	39.87	1013	36.25	921	3.62	92	32.75	832	20.87	530	41.68	1059	43.81	19.87	12.27	0.35
266	AL3018-3603	29.75	756	17.87	454	39.87	1013	36.25	921	3.62	92	32.75	832	20.87	530	41.68	1059	43.81	19.87	12.27	0.35
267	AL3018-3605WRA	29.75	756	17.87	454	41.50	1054	5.25	133	36.25	921	32.75	832	20.87	530	43.31	1100	44.31	20.09	12.77	0.36
268	AL3018-3605W	29.75	756	17.87	454	41.50	1054	36.25	921	5.25	133	32.75	832	20.87	530	43.31	1100	44.31	20.09	12.77	0.36
269	AL3018-3605	29.75	756	17.87	454	41.50	1054	36.25	921	5.25	133	32.75	832	20.87	530	43.31	1100	44.31	20.09	12.77	0.36
270	AL3018-3609W	29.75	756	17.87	454	45.50	1156	36.25	921	9.25	235	32.75	832	20.87	530	47.31	1202	50.31	22.82	14.00	0.40
271	AL3018-3609AC	29.75	756	17.87	454	45.50	1156	36.25	921	9.25	235	32.75	832	20.87	530	47.31	1202	50.31	22.82	14.00	0.40
272	AL3018-2302	29.75	756	17.88	454	26.38	670	23.75	603	2.62	67	32.75	832	20.88	530	28.19	716	38.01	17.24	8.12	0.23
273	AL3018-2303	29.75	756	17.88	454	27.38	695	23.75	603	3.62	92	32.75	832	20.88	530	29.19	741	40.51	18.37	8.43	0.24
274	AL3018-2305	29.75	756	17.88	454	29.00	737	23.75	603	5.25	133	32.75	832	20.88	530	30.81	783	40.51	18.37	8.93	0.25
275	AL3018-2309	29.75	756	17.88	454	33.00	838	23.75	603	9.25	235	32.75	832	20.88	530	34.81	884	43.01	19.50	10.16	0.29
276	AL3022-0705	30.00	762	22.18	563	12.18	309	7.00	178	5.18	132	33.00	838	25.18	640	13.97	355	36.81	16.69	4.69	0.13
277	AL3019-0709AC/HL	30.75	781	19.62	498	16.98	431	7.64	194	9.34	237	33.75	857	22.62	575	19.67	500	40.61	18.42	5.93	0.17
278	AL3124-1204	31.43	798	24.40	620	15.68	398	11.87	301	3.81	97	34.43	875	27.40	696	19.37	492	30.01	13.61	6.96	0.20
279	AL3124-1604	31.43	798	24.40	620	19.68	500	15.87	403	3.81	97	34.43	875	27.40	696	23.37	594	39.61	17.96	8.73	0.25
280	AL3232-1111	32.40	823	32.40	823	23.50	597	12.00	305	11.50	292	35.50	902	35.50	902	26.50	673	65.91	29.89	14.28	0.40
281	AL3232-1412AC	32.43	824	32.43	824	26.75	679	14.50	368	12.25	311	35.43	900	35.43	900	30.44	773	68.41	31.03	16.28	0.46
282	AL3226-1404FT	32.50	826	26.62	676	18.36	466	14.18	360	4.18	106	35.50	902	29.62	752	24.31	617	52.41	23.77	9.19	0.26
283	AL3226-1604	32.50	826	26.62	676	20.30	516	16.12	409	4.18	106	35.50	902	29.62	752	24.49	622	52.61	23.86	10.16	0.29
284	AL3226-1413FT/AC/HL	32.50	826	26.62	676	27.08	688	14.18	360	12.90	328	35.50	902	29.62	752	32.93	836	60.91	27.62	13.56	0.38
285	AL3226-1613AC/HL	32.50	826	26.62	676	29.02	737	16.12	409	12.90	328	35.50	902	29.62	752	33.21	844	62.51	28.35	14.53	0.41
286	AL3232-1112	32.60	828	32.60	828	23.70	602	11.40	290	12.40	315	35.60	904	35.60	904	27.30	693	74.91	33.97	14.58	0.41

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
287	AL3232-1411	32.60	828	32.60	828	25.70	653	14.70	373	11.00	279	35.60	904	35.60	904	29.30	744	71.01	32.21	15.81	0.45
288	AL3428-0604	34.00	864	27.50	699	9.88	251	6.12	155	3.75	95	37.00	940	30.50	775	12.19	310	38.91	17.64	5.35	0.15
289	AL3428-1004	34.00	864	27.50	699	13.56	344	9.81	249	3.75	95	37.00	940	30.50	775	15.75	400	48.61	22.04	7.34	0.21
290	AL3428-0608AC/HL	34.00	864	27.50	699	14.31	363	6.12	155	8.19	208	37.00	940	30.50	775	16.62	422	42.51	19.28	7.74	0.22
291	AL3428-1008AC	34.00	864	27.50	699	18.00	457	9.81	249	8.19	208	37.00	940	30.50	775	20.19	513	50.61	22.95	9.74	0.28
292	AL3428-0614AC/HL	34.00	864	27.50	699	20.37	517	6.12	155	14.35	364	37.00	940	30.50	775	22.68	576	47.51	21.55	11.02	0.31
293	AL3428-1014AC/HL	34.00	864	27.50	699	24.16	614	9.81	249	14.35	364	37.00	940	30.50	775	26.35	669	61.51	27.90	13.07	0.37
294	AL3428-0625AC/HL	34.00	864	27.50	699	30.92	785	6.12	155	24.80	630	37.00	940	30.50	775	33.23	844	57.01	25.85	16.73	0.47
295	AL3428-1025AC/HL	34.00	864	27.50	699	34.61	879	9.81	249	24.80	630	37.00	940	30.50	775	36.74	933	64.11	29.08	18.73	0.53
296	AL3418-0505	34.18	868	17.87	454	10.50	267	5.25	133	5.25	133	37.18	944	20.87	530	12.44	316	27.00	12.25	3.71	0.11
297	AL3418-1005	34.18	868	17.87	454	15.37	390	10.12	257	5.25	133	37.18	944	20.87	530	17.31	440	30.61	13.88	5.43	0.15
298	AL3418-1005W	34.18	868	17.87	454	15.37	390	10.12	257	5.25	133	37.18	944	20.87	530	17.31	440	30.61	13.88	5.43	0.15
299	AL3424-0804	34.25	870	24.18	614	12.30	312	8.00	203	4.30	109	37.25	946	27.18	690	14.49	368	34.31	15.56	5.89	0.17
300	AL3424-0805	34.25	870	24.18	614	13.25	337	8.00	203	5.25	133	37.25	946	27.18	690	15.44	392	36.81	16.69	6.35	0.18
301	AL3424-1204	34.25	870	24.18	614	16.30	414	12.00	305	4.30	109	37.25	946	27.18	690	18.49	470	40.01	18.14	7.81	0.22
302	AL3424-1204W	34.25	870	24.18	614	16.30	414	12.00	305	4.30	109	37.25	946	27.18	690	18.49	470	40.01	18.14	7.81	0.22
303	AL3424-1205	34.25	870	24.18	614	17.25	438	12.00	305	5.25	133	37.25	946	27.18	690	19.44	494	42.51	19.28	8.27	0.23
304	AL3424-1205W	34.25	870	24.18	614	17.25	438	12.00	305	5.25	133	37.25	946	27.18	690	19.44	494	42.51	19.28	8.27	0.23
305	AL3434-1207	34.38	873	34.38	873	19.75	502	12.50	318	7.25	184	37.38	949	37.38	949	22.43	570	55.21	25.04	13.51	0.38
306	AL3434-2807	34.38	873	34.38	873	34.93	887	27.68	703	7.25	184	37.38	949	37.38	949	38.43	976	66.81	30.30	23.89	0.68
307	AL3434-1228AC	34.38	873	34.38	873	41.00	1041	12.50	318	28.50	724	37.38	949	37.38	949	44.50	1130	87.01	39.46	28.05	0.79
308	AL3434-2828AC	34.38	873	34.38	873	56.24	1428	27.68	703	28.50	724	37.38	949	37.38	949	59.43	1510	72.11	32.70	38.47	1.09
309	AL3535-1605	35.50	902	35.50	902	20.87	530	15.75	400	5.12	130	38.50	978	38.50	978	24.19	614	68.01	30.84	15.22	0.43
310	AL3535-1605LW	35.50	902	35.50	902	20.87	530	15.75	400	5.12	130	38.50	978	38.50	978	24.19	614	68.01	30.84	15.22	0.43
311	AL3620-0504	35.87	911	19.87	505	9.00	229	5.00	127	4.00	102	38.87	987	22.87	581	10.80	274	23.40	10.61	3.71	0.11
312	AL3620-0505	35.87	911	19.87	505	10.12	257	5.00	127	5.12	130	38.87	987	22.87	581	12.30	312	25.60	11.61	4.17	0.12

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
313	AL3620-0510AC/HL	35.87	911	19.87	505	15.15	385	5.00	127	10.15	258	38.87	987	22.87	581	17.00	432	32.41	14.70	6.25	0.18
314	AL3620-1704LW	35.87	911	19.87	505	21.12	536	17.12	435	4.00	102	38.87	987	22.87	581	23.31	592	41.61	18.87	8.71	0.25
315	AL3620-1704	35.87	911	19.87	505	21.12	536	17.12	435	4.00	102	38.87	987	22.87	581	23.31	592	41.61	18.87	8.71	0.25
316	AL3620-1705	35.87	911	19.87	505	22.24	565	17.12	435	5.12	130	38.87	987	22.87	581	24.43	621	43.31	19.64	9.17	0.26
317	AL3620-1710AC	35.87	911	19.87	505	27.27	693	17.12	435	10.15	258	38.87	987	22.87	581	29.46	748	50.41	22.86	11.25	0.32
318	AL3627-0805	35.87	911	27.00	686	12.95	329	7.83	199	5.12	130	38.87	987	30.00	762	16.64	423	43.61	19.78	7.26	0.21
319	AL3627-1505LW	35.87	911	27.00	686	19.99	508	14.87	378	5.12	130	38.87	987	30.00	762	23.69	602	50.31	22.82	11.20	0.32
320	AL3627-1505	35.87	911	27.00	686	19.99	508	14.87	378	5.12	130	38.87	987	30.00	762	23.69	602	50.31	22.82	11.20	0.32
321	AL3620-0512	35.90	912	20.10	511	16.90	429	4.80	122	12.10	307	39.00	991	23.20	589	19.00	483	38.91	17.64	7.06	0.20
322	AL3620-1712	35.90	912	20.10	511	29.10	739	17.00	432	12.10	307	39.00	991	23.20	589	31.10	790	47.71	21.64	12.15	0.34
323	AL3633-0405AC/HL	36.31	922	33.31	846	10.15	258	4.50	114	5.65	144	39.31	998	36.31	922	11.84	301	43.01	19.50	7.10	0.20
324	IS3721-1103W	37.00	940	21.00	533	14.00	356	11.00	279	3.00	76	40.00	1016	24.00	610	16.00	406	38.01	17.24	6.30	0.18
325	AL3825-2704	37.63	956	24.63	626	30.44	773	26.44	672	4.00	102	40.75	1035	27.75	705	32.94	837	54.01	24.49	16.33	0.46
326	AL3834-1605FT	38.12	968	34.12	867	21.15	537	15.75	400	5.40	137	41.12	1044	37.12	943	26.97	685	71.01	32.21	15.92	0.45
327	AL3834-1617FT/AC/HL	38.12	968	34.12	867	33.00	838	15.75	400	17.25	438	41.12	1044	37.12	943	38.82	986	86.41	39.19	24.84	0.70
328	AL3834-1628FT/AC	38.12	968	34.12	867	44.06	1119	15.75	400	28.31	719	41.12	1044	37.12	943	49.88	1267	118.02	53.52	33.16	0.94
329	AL4028-1608	39.75	1010	27.75	705	23.65	601	15.47	393	8.18	208	42.75	1086	30.75	781	27.34	694	70.01	31.75	15.10	0.43
330	AL4028-2105	39.75	1010	27.75	705	25.55	649	20.37	517	5.18	132	42.75	1086	30.75	781	29.24	743	80.01	36.29	16.31	0.46
331	AL4024-1305W	39.87	1013	24.31	617	18.00	457	12.75	324	5.25	133	42.87	1089	27.31	694	20.19	513	50.21	22.77	10.10	0.29
332	AL4024-1305	39.87	1013	24.31	617	18.00	457	12.75	324	5.25	133	42.87	1089	27.31	694	20.19	513	50.21	22.77	10.10	0.29
333	AL4018-1003	40.00	1016	18.00	457	13.19	335	10.19	259	3.00	76	43.00	1092	21.00	533	14.75	375	36.01	16.33	5.50	0.16
334	AL4119-0704	40.58	1031	19.10	485	11.60	295	7.13	181	4.50	114	43.70	1110	22.10	561	12.80	325	32.01	14.51	5.20	0.15
335	AL4141-0808AC	40.80	1036	40.80	1036	16.00	406	8.00	203	8.00	203	43.90	1115	43.90	1115	19.50	495	70.01	31.75	15.41	0.44
336	AL4021-0804	41.00	1041	20.87	530	11.00	279	7.20	183	3.80	97	44.00	1118	23.87	606	13.69	348	37.01	16.78	5.45	0.15
337	AL4021-0804W	41.00	1041	20.87	530	11.00	279	7.20	183	3.80	97	44.00	1118	23.87	606	13.69	348	37.01	16.78	5.45	0.15
338	AL4021-0808AC/HL	41.00	1041	20.87	530	14.91	379	7.20	183	7.71	196	44.00	1118	23.87	606	17.60	447	41.01	18.60	7.38	0.21

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
339	AL4021-0808W	41.00	1041	20.87	530	14.91	379	7.20	183	7.71	196	44.00	1118	23.87	606	17.60	447	41.01	18.60	7.38	0.21
340	AL4141-0826AC	41.00	1041	41.00	1041	34.00	864	8.25	210	25.75	654	44.00	1118	44.00	1118	35.50	902	114.02	51.71	33.08	0.94
341	AL4141-0836AC	41.00	1041	41.00	1041	43.75	1111	8.25	210	35.50	902	44.00	1118	44.00	1118	45.50	1156	123.02	55.79	42.56	1.21
342	AL4141-0846AC	41.00	1041	41.00	1041	53.75	1365	8.25	210	45.50	1156	44.00	1118	44.00	1118	55.50	1410	132.02	59.87	52.29	1.48
343	AL4421-0813	44.13	1121	21.13	537	21.25	540	8.13	207	13.12	333	47.25	1200	24.25	616	23.75	603	53.47	24.25	11.47	0.32
344	AL4416-1026	44.41	1128	16.26	413	36.91	938	10.38	264	26.53	674	47.50	1207	19.35	491	38.47	977	69.51	31.52	15.42	0.44
345	IS4517-1103W	45.00	1143	17.00	432	14.00	356	11.00	279	3.00	76	48.00	1219	20.00	508	16.00	406	38.01	17.24	6.20	0.18
346	IS4521-2303	45.00	1143	21.00	533	26.00	660	23.00	584	3.00	76	48.00	1219	24.00	610	32.00	813	72.01	32.66	14.22	0.40
347	AL4532-0506	45.00	1143	32.00	813	11.25	286	5.25	133	6.00	152	48.00	1219	35.00	889	14.50	368	63.21	28.67	9.38	0.27
348	AL4532-0515FT/AC/HL	45.00	1143	32.00	813	20.12	511	5.25	133	14.87	378	48.00	1219	35.00	889	25.00	635	81.21	36.83	16.77	0.47
349	AL4532-1606	45.00	1143	32.00	813	21.50	546	15.50	394	6.00	152	48.00	1219	35.00	889	26.00	660	82.01	37.19	17.92	0.51
350	AL4532-0519	45.00	1143	32.01	813	24.20	615	5.25	133	19.00	483	48.00	1219	35.20	894	31.40	798	67.01	30.39	20.17	0.57
351	AL4532-1615AC/HL	45.00	1143	32.00	813	30.37	771	15.50	394	14.87	378	48.00	1219	35.00	889	35.06	891	97.22	44.09	25.31	0.72
352	AL4532-1619	45.00	1143	32.00	813	34.60	879	15.60	396	19.00	483	48.00	1219	35.00	889	38.90	988	77.91	35.33	28.83	0.82
353	IS4537-2303	45.00	1143	37.00	940	26.00	660	23.00	584	3.00	76	48.00	1219	40.00	1016	32.00	813	93.02	42.18	25.05	0.71
354	AL4714-0403	46.87	1190	14.06	357	7.00	178	4.00	102	3.00	76	49.87	1267	17.06	433	8.69	221	26.40	11.97	2.67	0.08
355	AL4714-0503W	46.87	1190	14.06	357	8.25	210	5.25	133	3.00	76	49.87	1267	17.06	433	9.94	252	27.50	12.47	3.15	0.09
356	AL4714-0503	46.87	1190	14.06	357	8.25	210	5.25	133	3.00	76	49.87	1267	17.06	433	9.94	252	27.50	12.47	3.15	0.09
357	AL4714-0405	46.87	1190	14.06	357	9.25	235	4.00	102	5.25	133	49.87	1267	17.06	433	10.94	278	27.10	12.29	3.53	0.10
358	AL4714-0505W	46.87	1190	14.06	357	10.50	267	5.25	133	5.25	133	49.87	1267	17.06	433	12.19	310	29.51	13.38	4.00	0.11
359	AL4714-0505	46.87	1190	14.06	357	10.50	267	5.25	133	5.25	133	49.87	1267	17.06	433	12.19	310	29.51	13.38	4.00	0.11
360	AL4824-1404	48.62	1235	24.62	625	17.67	449	13.80	351	3.87	98	51.62	1311	27.62	702	21.36	543	57.91	26.26	12.24	0.35
361	AL4824-1604	48.62	1235	24.62	625	19.67	500	15.80	401	3.87	98	51.62	1311	27.62	702	23.36	593	57.31	25.99	13.63	0.39
362	AL4824-1408AC	48.62	1235	24.62	625	21.92	557	13.80	351	8.12	206	51.62	1311	27.62	702	25.61	650	64.51	29.26	15.18	0.43
363	AL4824-1608	48.62	1235	24.62	625	23.92	608	15.80	401	8.12	206	51.62	1311	27.62	702	27.61	701	63.81	28.94	16.57	0.47
364	AL4915-1105	49.00	1245	14.81	376	16.25	413	11.00	279	5.25	133	52.00	1321	17.81	452	18.44	468	40.01	18.14	6.82	0.19

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
365	AL5040-1204	50.12	1273	40.00	1016	15.87	403	12.12	308	3.75	95	53.12	1349	43.00	1092	19.06	484	90.02	40.82	18.41	0.52
366	AL5040-1212AC	50.12	1273	40.00	1016	23.99	609	12.12	308	11.87	301	53.12	1349	43.00	1092	27.19	691	103.02	46.72	27.83	0.79
367	AL5023-0911	50.50	1283	23.30	592	20.10	511	9.10	231	11.00	279	53.50	1359	26.30	668	23.50	597	50.91	23.09	13.69	0.39
368	AL5135-0718FT	51.01	1296	35.04	890	25.22	641	6.81	173	18.41	468	54.01	1372	38.04	966	32.00	813	103.52	46.95	26.09	0.74
369	AL5149-1005	51.08	1297	49.08	1247	14.87	378	10.06	256	4.81	122	54.25	1378	52.25	1327	18.24	463	96.02	43.54	21.57	0.61
370	AL5240-1138AC/HL	52.00	1321	40.00	1016	49.00	1245	11.00	279	38.00	965	55.00	1397	43.00	1092	52.69	1338	143.12	64.91	58.98	1.67
371	AL5231-0807	52.38	1330	30.88	784	14.50	368	7.50	191	7.00	178	55.50	1410	34.00	864	17.00	432	56.71	25.72	13.57	0.38
372	AL5231-1407	52.38	1330	30.88	784	21.00	533	14.00	356	7.00	178	55.00	1397	34.00	864	23.50	597	64.61	29.30	19.66	0.56
373	AL5324-0805	53.50	1359	24.50	622	13.30	338	8.20	208	5.10	130	56.50	1435	27.50	699	15.30	389	56.21	25.49	10.09	0.29
374	AL5424-2306FT/AC	53.87	1368	23.93	608	28.87	733	22.75	578	6.12	155	56.87	1444	26.93	684	33.75	857	104.32	47.31	21.54	0.61
375	AL5430-3006AC	53.88	1369	29.81	757	35.93	913	29.87	759	6.06	154	56.88	1445	32.81	833	39.62	1006	114.02	51.71	33.40	0.95
376	AL5415-0504W	53.90	1369	15.40	391	9.50	241	5.30	135	4.20	107	56.90	1445	18.50	470	11.30	287	31.51	14.29	4.56	0.13
377	AL5415-0504	53.90	1369	15.40	391	9.50	241	5.30	135	4.20	107	56.90	1445	18.50	470	11.30	287	31.51	14.29	4.56	0.13
378	AL5430-0418AC	53.90	1369	30.10	765	22.60	574	4.60	117	18.10	460	57.00	1448	33.20	843	25.80	655	73.01	33.11	21.22	0.60
379	AL5415-1026AC	54.60	1387	15.90	404	35.90	912	10.00	254	25.90	658	57.60	1463	18.90	480	37.50	953	89.52	40.60	18.04	0.51
380	AL5545-0605AC	55.50	1410	45.50	1156	11.40	290	6.30	160	5.12	130	58.50	1486	48.50	1232	15.00	381	73.81	33.48	16.66	0.47
381	AL5545-2305AC	55.50	1410	45.50	1156	27.92	709	22.80	579	5.12	130	58.50	1486	48.50	1232	31.61	803	145.32	65.91	40.80	1.16
382	AL5545-0623AC-HL	55.50	1410	45.50	1156	30.62	778	8.06	205	22.56	573	58.50	1486	48.50	1232	34.25	870	157.03	71.21	44.75	1.27
383	AL5545-2323AC	55.50	1410	45.50	1156	45.36	1152	22.80	579	22.56	573	58.50	1486	48.50	1232	49.05	1246	179.03	81.19	66.29	1.88
384	AL5632-0404FT	56.05	1424	32.42	823	8.31	211	3.98	101	3.88	99	59.06	1500	35.43	900	14.00	356	55.60	25.22	8.74	0.25
385	AL5616-0604	56.43	1433	16.25	413	10.07	256	5.87	149	4.20	107	59.43	1510	19.25	489	12.76	324	42.41	19.23	5.34	0.15
386	AL5616-0604W	56.43	1433	16.25	413	10.07	256	5.87	149	4.20	107	59.43	1510	19.25	489	12.76	324	42.41	19.23	5.34	0.15
387	AL5733-0906	56.60	1438	33.00	838	13.20	335	9.60	244	3.60	91	60.00	1524	36.00	914	22.80	579	76.61	34.75	14.27	0.40
388	AL5733-0916FT/AC	56.87	1444	32.75	832	25.06	637	9.06	230	16.00	406	59.87	1521	35.75	908	35.63	905	123.42	55.97	27.01	0.76
389	AL5757-0806	56.89	1445	56.89	1445	14.30	363	8.10	206	6.20	157	60.00	1524	60.00	1524	21.42	544	103.02	46.72	26.78	0.76
390	AL5834-0111	58.24	1479	34.24	870	12.75	324	1.75	44	11.00	279	61.25	1556	37.25	946	16.25	413	109.02	49.44	14.71	0.42

SINGLE LID SIZE LIST















NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
391	AL5834-0711	58.24	1479	34.24	870	18.75	476	7.75	197	11.00	279	61.25	1556	37.25	946	22.25	565	124.02	56.25	21.64	0.61
392	AL5834-1011	58.24	1479	34.24	870	20.69	526	9.69	246	11.00	279	61.25	1556	37.25	946	26.25	667	132.02	59.87	23.88	0.68
393	AL5834-1028	58.30	1481	34.30	871	41.00	1041	9.75	248	27.90	709	61.30	1557	37.30	947	43.50	1105	105.92	48.04	47.45	1.34
394	AL5834-1040	58.30	1481	34.30	871	50.00	1270	9.75	248	40.30	1024	61.30	1557	37.30	947	55.40	1407	142.42	64.59	57.86	1.64
395	AL5834-0128FT/AC/HL	58.31	1481	34.25	870	29.55	751	1.62	41	27.93	709	61.31	1557	37.25	946	32.87	835	126.02	57.15	34.15	0.97
396	AL5834-0728FT/AC/HL	58.31	1481	34.25	870	35.55	903	7.62	194	27.93	709	61.31	1557	37.25	946	38.87	987	138.92	63.00	41.09	1.16
397	AL5834-0140FT/AC	58.31	1481	34.25	870	41.62	1057	1.62	41	40.00	1016	61.31	1557	37.25	946	45.25	1149	134.02	60.78	48.10	1.36
398	AL5834-0740FT/AC	58.31	1481	34.25	870	47.62	1210	7.62	194	40.00	1016	61.31	1557	37.25	946	51.19	1300	141.02	63.96	55.04	1.56
399	AL5824-1119AC	58.62	1489	24.12	613	30.18	767	11.00	279	19.18	487	61.62	1565	27.12	689	33.87	860	76.51	34.70	24.69	0.70
400	AL5910-0604	59.06	1500	9.91	252	10.30	262	6.18	157	4.12	105	62.06	1576	12.91	328	12.25	311	31.61	14.33	3.49	0.10
401	AL5924-1018AC	59.25	1505	24.25	616	28.32	719	10.13	257	18.19	462	62.25	1581	27.25	692	29.69	754	74.01	33.57	23.55	0.67
402	AL5924-1009	59.30	1506	24.30	617	19.30	490	10.10	257	9.20	234	62.30	1582	27.30	693	21.60	549	61.31	27.81	16.09	0.46
403	AL6124-0805FT	61.16	1553	24.28	617	13.63	346	8.07	205	5.56	141	64.18	1630	27.11	689	20.49	520	60.15	27.28	11.71	0.33
404	AL6242-2408	61.97	1574	42.31	1075	31.94	811	24.00	610	8.00	203	65.98	1676	45.67	1160	39.59	1006	127.02	57.61	48.46	1.37
405	AL6638-0605AC	67.25	1708	37.75	959	10.88	276	5.94	151	4.94	125	70.50	1791	41.00	1041	14.44	367	90.92	41.23	15.98	0.45
406	BL6752-0805AC/HL	67.43	1713	51.87	1317	13.16	334	8.03	204	5.13	130	70.43	1789	54.87	1394	18.66	474	145.02	65.77	26.64	0.75
407	AL6815-1032AC	67.70	1720	14.90	378	42.00	1067	10.00	254	32.00	813	70.80	1798	18.00	457	43.50	1105	78.01	35.38	24.52	0.69
408	AL6815-1005	68.00	1727	15.25	387	15.32	389	10.12	257	5.20	132	71.00	1803	18.25	464	17.13	435	58.51	26.54	9.19	0.26
409	AL6821-1105	68.38	1737	21.38	543	16.44	418	11.19	284	5.25	133	71.50	1816	24.50	622	19.94	506	65.21	29.57	13.91	0.39
410	AL6924-1305	68.98	1752	24.28	617	18.14	461	12.70	323	5.44	138	72.00	1829	27.30	693	20.62	524	69.03	31.31	17.58	0.50
411	AL6912-1003	69.37	1762	12.00	305	14.09	358	10.49	266	3.60	91	72.37	1838	15.00	381	16.28	414	42.01	19.05	6.79	0.19
412	AL7007-0403AC	70.25	1784	7.00	178	7.00	178	4.00	102	3.00	76	73.25	1861	10.00	254	9.75	248	30.01	13.61	1.99	0.06
413	AL7208-0403	72.00	1829	8.00	203	8.40	213	4.40	112	4.00	102	75.00	1905	11.00	279	10.60	269	30.51	13.83	2.80	0.08
414	AL7430-0418AC	73.78	1874	29.78	756	22.65	575	4.64	118	18.02	458	77.00	1956	33.00	838	26.25	667	112.02	50.80	28.80	0.82
415	AL7819-0805	78.87	2003	19.43	494	13.28	337	8.25	210	5.03	128	80.75	2051	22.43	570	14.97	380	60.81	27.58	11.78	0.33
416	AL7819-0808AC	78.87	2003	19.43	494	16.28	414	8.25	210	8.03	204	80.75	2051	22.43	570	17.97	456	61.81	28.03	14.44	0.41

SINGLE LID SIZE LIST

NO.	CASE SIZE	INSIDE DIMENSIONS						EXTERIOR DIMENSIONS						WEIGHT		VOLUME					
		L		W		H		BASE		LID		L						W		H	
		in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	in	(mm)	lbs	(kg)
417	BL8024-3009AC	80.43	2043	24.43	621	39.24	997	30.12	765	9.12	232	84.43	2145	28.43	722	43.81	1113	159.53	72.35	44.62	1.26
418	BL8240-1623FT/AC	81.75	2076	40.00	1016	38.87	987	16.12	409	22.75	578	85.75	2178	44.00	1118	48.06	1221	229.24	103.96	73.56	2.08
419	BL8232-0705AC	81.87	2079	31.93	811	12.37	314	7.25	184	5.12	130	85.87	2181	35.93	913	16.81	427	122.32	55.47	18.71	0.53
420	BL8232-0905AC	81.87	2079	31.93	811	14.12	359	9.00	229	5.12	130	85.87	2181	35.93	913	18.56	471	128.02	58.06	21.36	0.60
421	BL8537-2906AC	85.23	2165	37.73	958	35.23	895	29.19	741	6.04	153	89.23	2266	41.73	1060	39.60	1006	190.03	86.18	65.56	1.86
422	BL8653-5010	86.00	2184	53.00	1346	60.00	1524	10.00	254	50.00	1270	90.00	2286	57.00	1448	64.60	1641	287.55	130.41	158.27	4.48
423	BL9053-1035AC	90.00	2286	53.00	1346	45.50	1156	10.25	260	35.25	895	94.00	2388	57.00	1448	50.00	1270	278.05	126.10	125.60	3.56
424	BL9024-1113FT/AC	91.00	2311	24.19	614	25.10	638	11.76	299	13.35	339	95.00	2413	28.19	716	33.26	845	147.23	66.77	31.98	0.91
425	BL9836-1105AC	97.80	2484	35.90	912	16.10	409	11.00	279	5.10	130	101.80	2586	39.90	1013	20.79	528	190.03	86.18	32.71	0.93
426	BL9836-3705AC	97.80	2484	35.90	912	42.10	1069	37.00	940	5.10	130	101.80	2586	39.90	1013	46.79	1188	242.04	109.77	85.54	2.42
427	BL11433-0527AC	114.00	2896	33.00	838	32.62	829	5.38	137	27.25	692	118.00	2997	37.00	940	34.31	871	210.04	95.25	71.02	2.01
428	BL13022-0813FT	130.00	3302	22.00	559	19.50	495	7.00	178	12.50	318	134.00	3404	26.00	660	27.75	705	136.42	61.87	32.27	0.91
429	AL13115-0805FT	131.00	3327	15.00	381	13.25	337	8.25	210	5.00	127	134.00	3404	18.00	457	17.97	456	97.02	44.00	15.07	0.43
430	BL15135-1321FT	151.10	3838	33.90	861	34.80	884	21.00	533	13.30	338	155.50	3950	38.40	975	42.30	1074	297.05	134.72	103.16	2.92

AVAILABLE OPTIONS

					
Airtight/Watertight	Card Holder	Casters	Edge Casters	Extra Handles	Grab'N Roll™
					
Combination Lock	FlangeMount™ Cases	Forklift Bash Plates	Forklift Provision, Skid Runners	Front Labels	Stainless Steel Hardware
					
Stainless Steel Black Passivated Finish Hardware	Hinged Lid	Lockable Cable Catch	Lockable Padlock Hasp	Custom Stenciling	Humidity Indicator
					
ID Plate	Standard and ATA Labels	Lifting Rings/Tie Down Rings	Breather Valve Desiccant		

COLORS	
	Gray – 133 Fed Std# 26270
	Tan – 250 Fed Std# 20372
	Blue – 135(lt) Pantone# 292U
	White – 132 Fed Std# 27925
	Yellow – 136 Pantone# 012U
	Green – 138(forest) Fed Std# 24052
	Orange – 134 Fed Std# 12197
	Maroon – 197 Pantone# 202U
	Yellow – 131 Fed Std# 23538
	Blue – 101(dk) Fed Std# 25052
	Black – 032 Fed Std# 27040
	Red – 130 Fed Std# 21105
	Purple – 129 Pantone# 245U
	Olive Drab – 137 Fed Std# 34096

Some options are not available on all case sizes and availability is subject to change at manufacturer's discretion.
Case colors/options may differ slightly from printed versions.

For warranty details go to www.pelican.com/warranty

©2024 Pelican Products, Inc. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

Part. No. 0030-001-901 Rev. 3 MR/24

Pelican Products, Inc.
23215 Early Avenue, Torrance, CA 90505
Tel 310.326.4700 • 800.473.5422 • Fax 310.326.3311