



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx EXV 15.0005X**

Page 1 of 4

Certificate history:

Status: **Current**

Issue No: 8

[Issue 7 \(2023-02-14\)](#)

[Issue 6 \(2022-08-18\)](#)

[Issue 5 \(2022-04-14\)](#)

[Issue 4 \(2020-07-09\)](#)

[Issue 3 \(2020-01-09\)](#)

[Issue 2 \(2019-03-07\)](#)

[Issue 1 \(2016-12-05\)](#)

[Issue 0 \(2016-01-12\)](#)

Date of Issue: 2026-05-05

Applicant: **Pelican Products Inc**
23215 Early Avenue
Torrance
CA 90505
United States of America

Equipment: **Pelican 3315R, Pelican 3335R**

Optional accessory:

Type of Protection: **Equipment protection by intrinsic safety "i"**

Marking: Ex ia IIC T4 Ga
Ta = -20 °C to +40 °C

Approved for issue on behalf of the IECEx
Certification Body:

Glenn Manifold BSc (Hons) CQP MCQI

Position:

Certification Manager

Signature:
(for printed version)

Date:
(for printed version)

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

ExVeritas Limited
Units 16-18 Abenbury Way
Wrexham Ind. Est.
Wrexham LL 139UZ
United Kingdom





IECEx Certificate of Conformity

Certificate No.: **IECEx EXV 15.0005X**

Page 2 of 4

Date of issue: 2026-05-05

Issue No: 8

Manufacturer: **Pelican Products Inc**
23215 Early Avenue
Torrance
CA 90505
United States of America

Manufacturing locations: **Pelican Products Inc**
23215 Early Avenue
Torrance
CA 90505
United States of America

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements
Edition: 7.0

[IEC 60079-11:2011](#) Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition: 6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[GB/EXV/ExTR15.0005/00](#)
[GB/EXV/ExTR19.0102/00](#)
[GB/EXV/ExTR22.0067/00](#)

[GB/EXV/ExTR16.0030/00](#)
[GB/EXV/ExTR20.0046/00](#)
[GB/EXV/ExTR23.0013/00](#)

[GB/EXV/ExTR19.0015/00](#)
[GB/EXV/ExTR21.0049/00](#)
[GB/EXV/ExTR25.0060/00](#)

Quality Assessment Report:

[GB/FME/QAR08.0002/18](#)



IECEx Certificate of Conformity

Certificate No.: **IECEx EXV 15.0005X**

Page 3 of 4

Date of issue: 2026-05-05

Issue No: 8

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The 'Pelican 3335R' is a portable torch used for illuminating dimly lit areas. It is intended to be used in areas classified as IECEx Zone 0. The device uses an array of LED's which is controlled electronically to achieve different lighting effects and is intended to be held by the user during use ("hand-held"). The device has a mechanism allowing the light source to be tilted 90 degrees.

The 'Pelican 3335R' has the charging input rotated 90 degrees. The device has its own unique charger with the part number CHG05. The 'Pelican 3335R' has a battery compartment which can accept a single rechargeable cell (evaluated as suitable for this approval).

SPECIFIC CONDITIONS OF USE: YES as shown below:

1. Charging of the 'Pelican 3335R' is only permitted with the associated 'CHG05' battery charger
2. Charging the device is not permitted inside an explosive environment.
3. Only the approved cells in this approval may be used with the device.



IECEx Certificate of Conformity

Certificate No.: **IECEx EXV 15.0005X**

Page 4 of 4

Date of issue: 2026-05-05

Issue No: 8

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Important notes about naming conventions

Firstly, this ExTR aims to fully disambiguate the naming convention which has been confused in previous approvals. The following part numbers are 100% identical except for their name. The naming differences are only used to separate the approval schemes IECEx and ATEX.

- Pelican 3315R, and Pelican 3335R (used for IECEx models)
- Peli 3315RZ0, and Peli 3335RZ0 (used for ATEX models)

Secondly, the following part numbers which include '3315' are no longer manufactured and have become obsolete. The following part numbers have been removed from the approval, including the '3318' Battery charger which is used to charge them.

- Pelican 3315R (previously covered by previous certificates but removed in this variation)
- Peli 3315RZ0 (previously covered by previous certificates but removed in this variation)

Finally, it is very important to note the inclusion of the letter "R" in these part numbers. There are very similar part numbers which do not have the "R" included. In this case the following part numbers are not covered under this approval:

- Peli 3315Z0 (completely different product not covered in this approval)
- Pelican 3315 (completely different product not covered in this approval)

The part numbers above are unique products and completely different from the equipment covered in this ExTR. (Please refer to 22ATEX1339X for 'Peli 3315Z0', and IECEx EXV 22.0036X for 'Pelican 3315').

Technical changes considered in this variation

Two new LED's have been introduced into this variation since the old component has reached end of life. The LED's have been tested using the small component ignition test to determine suitability. The drawings have been changed to simplify the EBOM with only safety critical components listed and those are listed generically. A battery pack drawing has been added to the drawing set in order to remove the standalone BAT06 drawing from the scheduled documents. A summary of the salient changes to the documents are revealed below. Certain models are no longer manufactured with a certain battery type, and therefore removed from the approval.